



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

I. *A Catalogue of the fifty Plants from Chellsea-Garden, presented to the Royal Society by the Company of Apothecaries, for the Year 1729 ; pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præs. Col. Reg. Med. & Soc. Reg. by Isaac Rand, Apothecary, F. R. S.*

351. **A** CER Fraxini foliis, ferratis. *Acer maximum ; foliis trifidis & quinquefidis, Virginianum. Pluk. Phyt. Tab. 123.*

Fig. 4 & 5.

352. *Agrimonia odorata. Cam. Hort.*

353. *Agrimonia officinarum. T. Inst. 301.*

354. *Agrimonia, minor ; flore albo H. C. Boerh. Ind.*

355. *Anapodophyllon Canadense Morini. T. Inst. 239.*

356. *Apocynoides subhirsuta ; floribus aurantiis.*

357. *Aracus, q. Vicia segetum ; singularibus filiquis glabris. C. B. 345.*

358. *Brasica Orientalis, perfoliata ; flore albo ; filiqua quadrangula T. Cor. 16.*

359. *Brunella laciniata ; flore elegantissimè sulphureo. Boer. Ind. alt. 169.*

360. *Cassida Cretica ; fruticosa ; Catariæ folio ; flore albo. T. Cor. 11.*

361. *Cassida palustris, vulgator ; flore cæruleo. T. Inst. 182.*

362. *Cassida orientalis* ; *Chamædryos folio* ; flore luteo. T. Cor 11.

363. *Convolvulus Canariensis* ; longioribus foliis, mollibus & incanis. Pluk. Phyt. Tab. 325. Fig. 1.

364. *Daucus*, qui *Pastinaca Oenanthes folio*. Boccon. rar. 75.

365. *Echinopus minor*, annuus ; magno capite. T. Inf. 463.

366. *Frutex Africanus*, *Ambram spirans*. Pluck. Phyt. Tab. 183. Fig. 1.

367. *Galeopsis Hispanica* ; frutescens ; *Teucree folio*. T. Inf. 186.

368. *Hedypnois annua*. T. Inf. 478.

369. *Hedypnois Cretica*, minor, annua. T. Cor. 36.

370. *Hedypnois Hispanica*, procumbens ; magno capite. *An Hedypnois annua, capite maximo*. Boerb. Ind. alt. 93 ?

371. *Heleniastrum* ; folio longiore & angustiore. D. Vaillant. Acad. Reg. Par. anno 1720.

372. *Heleniastrum ferius florens* ; latiore folio ; ramosissimum. *An Heleniastrum ; folio brevioris & latioris*. *Ejusdem Ibid* ?

373. *Hieracium fruticosum* ; angustissimo, incano folio. H. L. Bat. 316.

374. *Hieracium Pulmonaria dictum*, latifolium, humilius ; ramulis expansis.

375. *Lamium Garganicum*, subincanum ; flore purascente, cum labio superiori crenato. Micheli. Hort. Pisan. 93. Tab. 32.

376. *Lamium orientale*, argentatum, annuum ; flore albo. *Lamium Moschatum foliorum marginibus argentatis. Wheeleri Itin.*

377. *Lamium purpureum*, perenne ; foliis acutis, profundè incisis. *Lamium ; folio oblongo ; flore rubro. Park. Theat.* 606.

378. *Lychnis Hispanica* ; folio Kali ; multiflora. T. Inst. 338.

379. *Millefolium*, vulgare, album. C. B. 140.

380. *Millefolium album*, incanum ; segmentis foliorum latioribus.

381. *Millefolium nobile* Tragi. 476.

382. *Millefolium*, odoratum, Monpelienſe. Pillet. 271.

383. *Millefolium*, minus, tenuifolium ; Tanacetii odore. Barrel. Obs. N° 1117.

384. *Millefolium*, tomentosum, luteum. C. B. 140.

385. *Millefolium* ; foliis Sophiæ fere divifura ; floribus parvis, ex albo flavescentibus.

386. *Mentha Sisymbrium dicta*, hirsuta, rotundifolia ; odore Aurantii D. Manningham. *Mentha, Sisymbrium dicta, hirsuta ; glomerulis & foliis minoribus ac rotundioribus. Raii Syn. Ed.* 3. 233.

387. *Myrrhis trifolia*, Canadenſis, Angelicæ facie. T. Inst. 315.

388. *Pimpinella Sanguisorba major*. C. B. 160.

389. *Pimpinella major*, rigida, præalta auriculata, Sabauda. Boccon. Mus. p. 19.

390. *Ribes fructu parvo*. Merret. Pin. Raii Syn. Ed. 3. 456.

391. Ribes Americana ; fructu nigro minimo ; calyce floris campaniformi.

392. Sclarea ; Africana ; amplissimo folio ; annua. Boerh. Ind. alt. 165.

393. Sideritis, Cretica, viscosa, Bitumen olens. Zanon. 186.

394. Veronica minor, Alpina, Serpylli folio. *An Pona ?*

395. Virga aurea, Mexicana, C.B. 517. *Virga aurea ; Limonii folio ; paniculâ uno versu disposita. H. Reg. Par.*

396. Virga aurea, Americana, angustifolia, media ; panicula speciosa.

397. Virga aurea Americana, altissima, angustifolia ferotina ; radice repente.

398. Virga aurea, humilis ; foliis rigidis, latis, utrinque acuminatis. *An Virga aurea folio hirsuto, Salicis, raro & levissimè serrato ; caulibus atropurpureis Boerb. Ind. alt. 97 ?*

399. Virga aurea, montana ; folio angusto, sub incano ; flosculis conglobatis. Raii Syn. Ed. 2. 81.

400. Virga aurea minor ; foliis ferratis, utrinque acuminatis.